

ISOframeTM.com **wave**

The Worlds First Fully Flexible Display System



Technical Documentation

Wave Starter Unit

Kit Contents:

Qty	Description
2	Base Posts
2	Centre Posts
2	Top Posts
1	Flexi-Wave Link
2	Base Supports
1	Graphic Hanger
1	Graphic Kicker
2	Graphic Stiffeners
2	Corner Trim Set



Wave Extension Unit Unit

Kit Contents:

Qty	Description
1	Base Post
1	Centre Post
1	Top Post
1	Flexi-Wave Link
1	Base Support
1	Graphic Hanger
1	Graphic Kicker
2	Graphic Stiffeners



Description	Code	Base Post		Centre Post		Top Post		Corner Trim Set		Base Support	Flexi-wave link	Kicker and hanger set	Graphic Stiffener
		Qty	Code	Qty	Code	Qty	Code	Qty	Code				
Mini Starter Unit	ISO-W800-SU1	2	ISW-0750-BP	2	ISO-750-CP	2	ISO-0750-TP	2	ISO-1995-CT	2	1	1	2
Mini Extension Unit	ISO-W800-EU1	1	ISW-0750-BP	1	ISO-750-CP	1	ISO-0750-TP		n/a	1	1	1	2
Midi Starter Unit	ISO-W800-SU2	2	ISW-0750-BP	2	ISO-750-CP	2	ISO-0750-TP	2	ISO-2195-CT	2	1	1	2
Midi Extension Unit	ISO-W800-EU2	1	ISW-0750-BP	1	ISO-750-CP	1	ISO-0750-TP		n/a	1	1	1	2
Maxi Starter Unit	ISO-W800-SU3	2	ISW-0750-BP	2	ISO-850-CP	2	ISO-0850-TP	2	ISO-2395-CT	2	1	1	2
Maxi Extension Unit	ISO-W800-EU3	1	ISW-0750-BP	1	ISO-850-CP	1	ISO-0850-TP		n/a	1	1	1	2

Stand Type	Mini		Midi		Maxi	
Graphic Location	Standard Graphic	Graphic Above Table	Standard Graphic	Graphic Above Table	Standard Graphic	Graphic Above Table
Width	800mm	800mm	800mm	800mm	800mm	800mm
Height	1995mm	1165mm	2195mm	1365mm	2395mm	1565mm

Material Specification

Reccomended material for use on the ISOframe wave system: Neschen Nolite 350

If other materials are to be used they should meet the following specification where possible:

Material Type: Printable stoplight front print

Material Thickness 300-400 Micron (Ideal is aproximatly 350 Micron)

We advise that all graphics use a protective overlamine.

For correct graphic hanging and to prevent graphics from falling off on tight corners it is essential that an ISOframe i-Line hanger and kicker is used on every graphic.

12mm "B Type" magnetic tape should be applied to the very edge of each gaphic (not inset by 1mm)

"B Type" Magnetic tape should be applied to the graphic under the hanger strip and above the kicker strip this is used to attach the graphic stiffener on straight panels.

Table Attachment ISO-0800-TA1



Parts List

Qty	Code	Description
1	ISO-0800-TA1T	Table top with removable graphic strips
1	ISO-0800-TA1B	Table base with adjustable feet
2	ISO-830-TP	Table posts

Graphic Wrap Template





Table Dimensions



Semi-circular Table Attachment ISO-0800-TA2



ISO-0800-TA2

Parts List

Qty	Code	Description
1	ISO-0800-TA2T	Table top with removable graphic strips
1	ISO-0800-TA2B	Table base with adjustable feet
1	ISO-830-TP	Table post

Graphic Wrap Template





Table Dimensions



Keyboard Table Attachment ISO-0800-TA3



Parts List

Qty	Code	Description
1	ISO-0800-TA3T	Table top with removable graphic strips
1	ISO-0800-TA3B	Table base with adjustable feet
2	ISO-830-TP	Table posts

Graphic Wrap Template





Table Dimensions



90° Corner Table ISO-0800-TA4



Parts List

Qty	Code	Description
1	ISO-0800-TA4T	Table top with removable graphic strips
1	ISO-0800-TA4B	Table base with adjustable feet
1	ISO-830-TP	Table post

Graphic Wrap Template





Table Dimensions



Free-standing Rectangle Small ISO-0800-TA5



Parts List

Qty	Code	Description
1	ISO-0800-TA5T	Table top with removable graphic strips
1	ISO-0800-TA5B	Table base with adjustable feet
4	ISO-830-TP	Table posts

Graphic Wrap Template





Table Dimensions



Free-standing Rectangle Large ISO-0800-TA6



Parts List

Qty	Code	Description
1	ISO-0800-TA6T	Table top with removable graphic strips
1	ISO-0800-TA6B	Table base with adjustable feet
4	ISO-830-TP	Table posts

Graphic Wrap Template





Table Dimensions



Free-standing Circle ISO-0800-TA7



Parts List

Qty	Code	Description
1	ISO-0800-TA7T	Table top with removable graphic strips
1	ISO-0800-TA7B	Table base with adjustable feet
4	ISO-830-TP	Table posts

Graphic Wrap Template





Table Dimensions



Free-standing Curved ISO-0800-TA8



Parts List

Qty	Code	Description
1	ISO-0800-TA8T	Table top with removable graphic strips
1	ISO-0800-TA8B	Table base with adjustable feet
4	ISO-830-TP	Table posts

Graphic Wrap Template





Table Dimensions



Free-standing Elipse ISO-0800-TA9

Awaiting Image

Parts List

Qty	Code	Description
1	ISO-0800-TA9T	Table top with removable graphic strips
1	ISO-0800-TA9B	Table base with adjustable feet
4	ISO-830-TP	Table posts

Graphic Wrap Template




Table Dimensions

Spotlight
UK: ISO-SL-AC EU: ISO-SL-EU



50w Halogen - Black

Base Support- Multi position
ISW-FT-SP01



Standard base support with close to wall option

Iline graphic kicker and hanger
ISO-0800-KH



Kicker and hanger for 800mm wide graphic

Graphic stiffener
ISO-0760-GS



Pair of graphic stiffeners for 800mm wide graphics

Cover Trim set for 1 vertical
Mini: ISO-1995-CT
Midi: ISO-2195-CT
Maxi: ISO-2395-CT



Custom lengths available:
ISO-<insert length required>-CT

Flexi-wave link
ISW-WH-SP



Complete wave hinge for 800mm wide graphics

ISOframe wheeled case
ISO-TC-AC



Semi-rigid holds up to 8 wave units

Rigid graphics tube
ISO-0850-RT



Holds up to 6 wave graphics

Wheeled carry case
ISO-1000-WC



Black holds up to 12 wave graphics

Case to counter with graphic
ISO-CC-AC

Awaiting Image

Holds up to 8 graphics and 8 flexi wave links